

# CHERRY XTRFY NGALE R

Premium USB mic for recording and streaming



Models may vary from the image shown

## HIGHLIGHTS

- Standalone microphone for streaming and recording
- USB plug and play
- Adjustable RGB illumination
- On-device settings and monitoring
- Dual recording modes – low-cut filter for gaming

## STREAM, RECORD AND STAND OUT.

The Ngale R features everything you need for high-quality sound capture without hassle. This standalone USB mic comes with a cardioid polar pattern and smart noise cancellation to capture your voice with clarity, while the RGB illuminated, retro-inspired design makes your streams and videos look as good as they sound.

## CRISP AND CLEAR.

The Ngale R prioritizes sound quality over multiple polar patterns, featuring a high-quality cardioid capsule for streaming, voiceovers and solo

recordings with greater detail.

## LOW-CUT FILTER FOR INTENSE GAMING.

Record or stream your voice across the microphone's entire frequency range, and activate the low-cut filter to minimize noise when gaming. To bring you the best sound quality, the Ngale R offers dual recording modes, easily switchable by holding the touch mute button.

## QUICK TO SET UP, EASY TO USE.

The Ngale R easily connects via USB for instant plug-and-play functionality and includes a convenient desk stand. Compatible with 3/8" thread stands, it can also be mounted on a boom arm. Once the USB cable is plugged in, the on-device controls provide quick access to settings like mute, microphone gain and headset volume. At the touch of a button, you can also activate the low-cut filter, and switch between a range of different LED colors and RGB effects.

## PRODUCT SPECIFICATIONS

System Requirements-Hardware:	USB-A
Operating system:	<ul style="list-style-type: none"><li>• Linux</li><li>• Mac OS</li><li>• Windows 7 or higher</li></ul>
Scope of delivery:	<ul style="list-style-type: none"><li>• Microphone</li><li>• USB-cable</li><li>• Manual</li></ul>
Model number:	CX-NGALE-R-RGB-BLACK
THD Ratio:	0,5 %

## TECHNICAL DETAILS

Product approvals:	<ul style="list-style-type: none"><li>• China RoHS</li><li>• CE</li><li>• EU RoHS</li><li>• FCC</li><li>• ICES-003 (Canada)</li><li>• KCC</li><li>• REACH</li><li>• UKCA</li><li>• CP65</li></ul>	Sensitivity: 4.7mV/Pa
Weight main product:	492 g	Max SPL: 112 db
Dimensions product without packaging:	100 mm x 86 mm x 193 mm	Sampling rate: 96 KHz
		Bitrate: 24 bit
		THD Ratio: 0,5 %
		Sound Pressure Level (SPL): 112 db
		Polar patterns: Cardioid
		Power requirement/consumption: 5V/150mA
		Capsules: 1x16mm

Errors, technical changes and delivery options reserved. Technical information refers only to the specification of the products. Properties are not guaranteed.

SKU / EAN / UPC	Colour
CX-NGALE-R-RGB-BLACK EAN 7340086913058 UPC 842597104378	black