

CHERRY G80-1800

Small dimensions and top performance!



Models may vary from the image shown

Standard? Yes! Boring? No - the compact design of the 19 inch PC keyboard is highly distinctive. For space-saving applications and optimum longevity requirements.

FUNCTION AND PERFORMANCE

- Individual keys with Gold Crosspoint contacts (MX technology)
- Codeset 3 support (PS/2 connection only) e.g. for Unix computers
- Perfect key feeling
- High-quality keyboard for outstanding writing performance, fulfilling even the highest demands
- Extremely high service life of individual keys

TECHNICAL DATA

Weight main product:	920 g
Weight of product without packaging:	920 g
Weight of product incl. packaging:	1,190 g
Content of master carton (pieces):	18

Dimensions product without packaging:	405 mm x 180 mm x 44 mm
Dimensions product incl. packaging:	460 mm x 270 mm x 50 mm
Cable length:	175 cm
Storage temperature:	-20 °C - 60 °C
Working temperature:	0 °C - 50 °C
Product approvals:	• CE • cURus • FCC • VDE • UKCA • China RoHS
Awards & Certificates:	VDE
System Requirements- Hardware:	• USB-A • PS/2
Operating system:	• Windows 7 • Windows 8 • Windows 10 • Windows 11
Scope of delivery:	• Manual • Keyboard • USB to PS/2 adapter
Reliability:	MTBF 90: > 10 Mio.
Service life per key (in million strokes):	50 mio. actuations
Switching characteristics:	linear
Max. current consumption (mA) of keyboard:	16 mA
Keyboard format:	Compact (96%)
Integrated metal plate:	yes
N-Key Rollover:	no
Anti-ghosting:	no
Key encryption:	no
Internal memory:	no
Actuating force (cN):	60 cN
Pre-Travel:	2 mm
Total Key Travel:	4 mm
Key labeling:	Laser etching
Palm rest:	Palm rest not available
USB-Hub:	no
Illumination:	no

Adjustable feet:	integrated
Status LEDs:	in housing
Key technology:	Mechanical
Switches:	CHERRY MX BLACK
Keycap material:	ABS
Model number:	MX 1800

Protection class:	Standard
Warranty:	1 additional year voluntary limited manufacturers warranty

Errors, technical changes and delivery options reserved. Technical information refers only to the specification of the products. Properties are not guaranteed.

SKU / EAN / UPC	Protection class	Switches	Colour	Illumination	Layout
G80-1800LPCDE-2 EAN 4025112065040 UPC	Standard	CHERRY MX BLACK	black	no	DE (Germany)
G80-1800LPCEU-2 EAN 4025112064975 UPC 840183600167	Standard	CHERRY MX BLACK	black	no	EU (USA+ €-Symbol)
G80-1800LPCGB-2 EAN 4025112072031 UPC	Standard	CHERRY MX BLACK	black	no	GB (United Kingdom)
G80-1800LPCDE-0 EAN 4025112064968 UPC 840183600136	Standard	CHERRY MX BLACK	light-grey	no	DE (Germany)
G80-1800LPCES-0 EAN 4025112072000 UPC 840183600143	Standard	CHERRY MX BLACK	light-grey	no	ES (Spain)
G80-1800LPCEU-0 EAN 4025112064937 UPC 840183600150	Standard	CHERRY MX BLACK	light-grey	no	EU (USA+ €-Symbol)
G80-1800LPCFR-0 EAN 4025112064951 UPC 840183600174	Standard	CHERRY MX BLACK	light-grey	no	FR (France)
G80-1800LPCGB-0 EAN 4025112064944 UPC 840183600181	Standard	CHERRY MX BLACK	light-grey	no	GB (United Kingdom)
G80-1800LPCIT-0 EAN 4025112073335 UPC 840183600198	Standard	CHERRY MX BLACK	light-grey	no	IT (Italy)

Please contact your local CHERRY service and support teams or your CHERRY sales partners for versions available in your country.