

# CHERRY G80-3000

Accurate and reliable even after years of service



Models may vary from the image shown

The timeless keyboard for outstanding writing performance, fulfilling even the highest demands. Durable, precise and reliable. Tried-and-tested millions of times over. The G80-3000 standard PC keyboard is based on reliable MX technology with Gold Crosspoint contacts. In black or gray.

## FUNCTION AND PERFORMANCE

- Individual keys with Gold Crosspoint contacts (MX technology)
- Designed for continuous usage - over 50 mill. confirmations per key
- Robust and reliable
- Space-saving and ergonomic
- Ideal for limited space and 19" applications
- Can be used with the standard drivers of the operating system
- USB keyboard: the following keys can be programmed freely using KeyM@n software (software macros): function keys 'F1'-'F12', 'INSERT', 'DELETE', 'POSITION1', 'END', 'PAGE-UP', 'PAGE-DOWN', 'PRINT', 'PAUSE', 'ROLL', comma and zero in the numeric field.

## TECHNICAL DATA

|                                            |                                                                                                                                                     |
|--------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------|
| Weight main product:                       | 935 g                                                                                                                                               |
| Weight of product without packaging:       | 935 g                                                                                                                                               |
| Dimensions product without packaging:      | 470 mm x 195 mm x 44 mm                                                                                                                             |
| Weight of product incl. packaging:         | 1,150 g                                                                                                                                             |
| Dimensions product incl. packaging:        | 500 mm x 255 mm x 50 mm                                                                                                                             |
| Content of master carton (pieces):         | 45                                                                                                                                                  |
| Cable-length:                              | 175 cm                                                                                                                                              |
| Storage temperature:                       | -20 °C - 60 °C                                                                                                                                      |
| Working temperature:                       | 0 °C - 50 °C                                                                                                                                        |
| Product approvals:                         | <ul style="list-style-type: none"><li>• BSMI</li><li>• CE</li><li>• cURus</li><li>• FCC</li><li>• UKCA</li><li>• China RoHS</li><li>• VDE</li></ul> |
| System Requirements-Hardware:              | USB-A                                                                                                                                               |
| Operating system:                          | <ul style="list-style-type: none"><li>• Windows 7</li><li>• Windows 8</li><li>• Windows 10</li><li>• Windows 11</li></ul>                           |
| Scope of delivery:                         | <ul style="list-style-type: none"><li>• Keyboard</li><li>• USB to PS/2 adapter</li><li>• Short Manual</li></ul>                                     |
| Reliability:                               | MTBF > 80.000 Stunden<br>MCBF > 10 Mrd. Betätigungen                                                                                                |
| Service life per key (in million strokes): | 50 mio. actuations                                                                                                                                  |
| Max. current consumption (mA) of keyboard: | 500 mA                                                                                                                                              |
| Keyboard format:                           | Full-size (100%)                                                                                                                                    |
| Integrated metal plate:                    | no                                                                                                                                                  |
| N-Key Rollover:                            | no                                                                                                                                                  |
| Anti-ghosting:                             | no                                                                                                                                                  |
| Key encryption:                            | no                                                                                                                                                  |

|                  |                            |
|------------------|----------------------------|
| Internal memory: | no                         |
| Key labeling:    | Laser etching + UV coating |
| Palm rest:       | Palm rest not available    |
| USB hub:         | no                         |
| Adjustable feet: | integrated                 |
| Status LEDs:     | no                         |
| Key technology:  | Mechanical                 |

|                  |                  |
|------------------|------------------|
| Keycap material: | POM              |
| Model number:    | MX3000           |
| Hotswap:         | no               |
| Warranty:        | 2 years warranty |

Errors, technical changes and delivery options reserved. Technical information refers only to the specification of the products. Properties are not guaranteed.

| EAN & Part number                | Switches        | Color      | Illumination | Layout                      |
|----------------------------------|-----------------|------------|--------------|-----------------------------|
| 4025112058547<br>G80-3000LPCDE-2 | CHERRY MX BLACK | black      | no           | DE (Germany)                |
| 4025112058578<br>G80-3000LPCES-2 | CHERRY MX BLACK | black      | no           | ES (Spain)                  |
| 4025112061073<br>G80-3000LPCEU-2 | CHERRY MX BLACK | black      | no           | EU (USA+ €-Symbol)          |
| 4025112061646<br>G80-3000LPCGB-2 | CHERRY MX BLACK | black      | no           | GB (United Kingdom)         |
| 4025112063381<br>G80-3000LSCDE-2 | CHERRY MX BLUE  | black      | no           | DE (Germany)                |
| 4025112067020<br>G80-3000LSCEU-2 | CHERRY MX BLUE  | black      | no           | EU (USA+ €-Symbol)          |
| 4025112066290<br>G80-3000LSCGB-2 | CHERRY MX BLUE  | black      | no           | GB (United Kingdom)         |
| G80-3000LSCRC-2                  | CHERRY MX BLUE  | black      | no           | RC (English (US) / Chinese) |
| 4025112067808<br>G80-3000LXCEU-2 | CHERRY MX BROWN | black      | no           | EU (USA+ €-Symbol)          |
| 4025112076121<br>G80-3000        | CHERRY MX BLACK | light-grey | no           | CD (Canada)                 |
| 4025112058530<br>G80-3000LPCDE-0 | CHERRY MX BLACK | light-grey | no           | DE (Germany)                |
| 4025112058561<br>G80-3000LPCES-0 | CHERRY MX BLACK | light-grey | no           | ES (Spain)                  |
| 4025112058585<br>G80-3000LPCEU-0 | CHERRY MX BLACK | light-grey | no           | EU (USA+ €-Symbol)          |
| 4025112058592<br>G80-3000LPCFR-0 | CHERRY MX BLACK | light-grey | no           | FR (France)                 |
| 4025112058608<br>G80-3000LPCGB-0 | CHERRY MX BLACK | light-grey | no           | GB (United Kingdom)         |
| 4025112076145<br>G80-3000LPCRC-0 | CHERRY MX BLACK | light-grey | no           | RC (English (US) / Chinese) |
| 4025112058660<br>G80-3000LSCDE-0 | CHERRY MX BLUE  | light-grey | no           | DE (Germany)                |
| 4025112058677<br>G80-3000LSCEU-0 | CHERRY MX BLUE  | light-grey | no           | EU (USA+ €-Symbol)          |
| 4025112058684<br>G80-3000LSCGB-0 | CHERRY MX BLUE  | light-grey | no           | GB (United Kingdom)         |

| EAN & Part number                | Switches        | Color      | Illumination | Layout             |
|----------------------------------|-----------------|------------|--------------|--------------------|
| 4025112061806<br>G80-3000LXCEU-0 | CHERRY MX BROWN | light-grey | no           | EU (USA+ €-Symbol) |