

## CHERRY MX Board 3.0



Models may vary from the image shown

### Professional keyboard for fast and precise input

The CHERRY MX BOARD 3.0 captivates with its world-exclusive use of Gold Crosspoint contacts in the MX key switches, ensuring perfect and extremely fast keystrokes. This professional, maximum-precision keyboard is even sturdier and more robust than its predecessor, making it the perfect partner for every type of exacting input imaginable.

### Key benefits

- Proved itself billions of times: Original CHERRY MX key switches "Made in Germany"
- World exclusive CHERRY Gold Crosspoint technology
- Different key switches available
- 50 million+ operations for each key
- N-key rollover: Simultaneous operations of up to 14 keys without any key ghosting effects
- Win-Key lock: Windows buttons can be disabled
- The integrated metal plate and anti-slip protection ensure it remains robust

### Technical Data:

#### Layout (country or language):

Product dependant, see table "Models"

#### Housing colour:

Product dependant, see table "Models"

#### Key colour:

Product dependant, see table "Models"

#### Weight (product):

approx. 830 g

#### Total weight (with packaging):

approx. 1215 g

#### Cable Length:

approx. 1.80 m

#### Storage Temperature:

-20°C to 60°C

#### Operating Temperature:

0°C to 50°C

#### Current Consumption:

max. 30 mA

#### Interface:

- USB

#### Product approvals:

Product dependant, see table "Models"

#### System requirements:

- USB connection

#### Delivery Volume:

- CHERRY MX Board 3.0
- Operating instructions in hard copy
- 2 non-slip surfaces
- 2 rubber caps for adjustable feet

#### Dimensions (product):

approx. 446 x 158 x 28 mm

#### Packaging dimensions:

approx. 468 x 202 x 35 mm

#### Keyboard:

- Key technology: MX
- Service life, standard key: > 50 million key operations
- Operation characteristics: Product dependant, see table "Models"
- Inscription technology: Laser
- Inscription layout: Standard
- Number of Keys: Product dependant, see table "Models"
- Number of additional keys: 4

#### Packaging Unit:

- Number of products in the master package: 8
- Number of master packages per pallet: 20

#### Warranty:

2 years

Errors, technical changes and delivery possibilities excepted.  
Technical information refers only to the specifications of the products. Features may differ from the information provided.

## Models:

(possible country/layout versions, others available on request)


|   | Product name           | Order number                    | EAN code      | Layout<br>(country or<br>language) | Housing<br>colour | Key<br>colour | Product<br>approvals                             | Operation<br>characteristics <sup>1</sup>     | Number of<br>Keys |
|---|------------------------|---------------------------------|---------------|------------------------------------|-------------------|---------------|--------------------------------------------------|-----------------------------------------------|-------------------|
| 1 | CHERRY MX Board<br>3.0 | G80-3850LSAEU-0 (China Market)  | 4025112086250 | US English<br>with EURO<br>symbol  | pale grey         | pale grey     | cURus, c-tick,<br>VCCI, CE,<br>FCC, BSMI         | BLUE SWITCH<br>Click pressure<br>point (60cN) | 104+4             |
| 2 | CHERRY MX Board<br>3.0 | G80-3850LSAEU-2 (China Market)  | 4025112079696 | US English<br>with EURO<br>symbol  | black             | black         | cURus, c-tick,<br>VCCI, CE,<br>FCC, BSMI         | BLUE SWITCH<br>Click pressure<br>point (60cN) | 104+4             |
| 3 | CHERRY MX Board<br>3.0 | G80-3850LSDDE-2                 | 4025112087301 | Germany                            | black             | black         | cURus, c-tick,<br>VCCI, CE,<br>FCC, BSMI         | BLUE SWITCH<br>Click pressure<br>point (60cN) | 105+4             |
| 4 | CHERRY MX Board<br>3.0 | G80-3850LSDEU-2                 | 4025112087875 | US English<br>with EURO<br>symbol  | black             | black         | cURus, c-tick,<br>VCCI, CE,<br>FCC, BSMI         | BLUE SWITCH<br>Click pressure<br>point (60cN) | 104+4             |
| 5 | CHERRY MX Board<br>3.0 | G80-3850LSDKR-2                 | 4025112087219 | English (US) /<br>Korean           | black             | black         | cURus, c-tick,<br>VCCI, CE,<br>FCC, BSMI,<br>KCC | BLUE SWITCH<br>Click pressure<br>point (60cN) | 104+4             |
| 6 | CHERRY MX Board<br>3.0 | G80-3850LUAUEU-0 (China Market) | 4025112086243 | US English<br>with EURO<br>symbol  | pale grey         | pale grey     | cURus, c-tick,<br>VCCI, CE,<br>FCC, BSMI         | BLACK SWITCH<br>Linear (60 cN)                | 104+4             |
| 7 | CHERRY MX Board<br>3.0 | G80-3850LUAUEU-2 (China Market) | 4025112079641 | US English<br>with EURO<br>symbol  | black             | black         | cURus, c-tick,<br>VCCI, CE,<br>FCC, BSMI         | BLACK SWITCH<br>Linear (60 cN)                | 104+4             |
| 8 | CHERRY MX Board<br>3.0 | G80-3850LXAEU-0 (China Market)  | 4025112086267 | US English<br>with EURO<br>symbol  | pale grey         | pale grey     | cURus, c-tick,<br>VCCI, CE,<br>FCC, BSMI         | BROWN SWITCH<br>Pressure point<br>(55cN)      | 104+4             |

|    | Product name           | Order number                   | EAN code      | Layout<br>(country or<br>language) | Housing<br>colour | Key<br>colour | Product<br>approvals                             | Operation<br>characteristics <sup>1</sup> | Number of<br>Keys |
|----|------------------------|--------------------------------|---------------|------------------------------------|-------------------|---------------|--------------------------------------------------|-------------------------------------------|-------------------|
| 9  | CHERRY MX Board<br>3.0 | G80-3850LXAEU-2 (China Market) | 4025112079818 | US English<br>with EURO<br>symbol  | black             | black         | cURus, c-tick,<br>VCCI, CE,<br>FCC, BSMI         | BROWN SWITCH<br>Pressure point<br>(55cN)  | 104+4             |
| 10 | CHERRY MX Board<br>3.0 | G80-3850LXDDE-2                | 4025112086960 | Germany                            | black             | black         | cURus, c-tick,<br>VCCI, CE,<br>FCC, BSMI         | BROWN SWITCH<br>Pressure point<br>(55cN)  | 105+4             |
| 11 | CHERRY MX Board<br>3.0 | G80-3850LXDEU-2                | 4025112087691 | US English<br>with EURO<br>symbol  | black             | black         | cURus, c-tick,<br>VCCI, CE,<br>FCC, BSMI         | BROWN SWITCH<br>Pressure point<br>(55cN)  | 104+4             |
| 12 | CHERRY MX Board<br>3.0 | G80-3850LXDFR-2                | 4025112087295 | France                             | black             | black         | cURus, c-tick,<br>VCCI, CE,<br>FCC, BSMI         | BROWN SWITCH<br>Pressure point<br>(55cN)  | 105+4             |
| 13 | CHERRY MX Board<br>3.0 | G80-3850LXDGB-2                | 4025112087684 | UK                                 | black             | black         | cURus, c-tick,<br>VCCI, CE,<br>FCC, BSMI         | BROWN SWITCH<br>Pressure point<br>(55cN)  | 105+4             |
| 14 | CHERRY MX Board<br>3.0 | G80-3850LXDKR-2                | 4025112087288 | English (US) /<br>Korean           | black             | black         | cURus, c-tick,<br>VCCI, CE,<br>FCC, BSMI,<br>KCC | BROWN SWITCH<br>Pressure point<br>(55cN)  | 104+4             |
| 15 | CHERRY MX Board<br>3.0 | G80-3850LYAEU-0 (China Market) | 4025112086274 | US English<br>with EURO<br>symbol  | pale grey         | pale grey     | cURus, c-tick,<br>VCCI, CE,<br>FCC, BSMI         | RED SWITCH<br>Linear (45 cN)              | 104+4             |
| 16 | CHERRY MX Board<br>3.0 | G80-3850LYAEU-2 (China Market) | 4025112079658 | US English<br>with EURO<br>symbol  | black             | black         | cURus, c-tick,<br>VCCI, CE,<br>FCC, BSMI         | RED SWITCH<br>Linear (45 cN)              | 104+4             |
| 17 | CHERRY MX Board<br>3.0 | G80-3850LYDEU-2                | 4025112087233 | US English<br>with EURO<br>symbol  | black             | black         | cURus, c-tick,<br>VCCI, CE,<br>FCC, BSMI         | RED SWITCH<br>Linear (45 cN)              | 104+4             |


|    | Product name           | Order number    | EAN code      | Layout<br>(country or<br>language) | Housing<br>colour | Key<br>colour | Product<br>approvals                             | Operation<br>characteristics <sup>1</sup> | Number of<br>Keys |
|----|------------------------|-----------------|---------------|------------------------------------|-------------------|---------------|--------------------------------------------------|-------------------------------------------|-------------------|
| 18 | CHERRY MX Board<br>3.0 | G80-3850LYDFR-2 | 4025112087226 | France                             | black             | black         | cURus, c-tick,<br>VCCI, CE,<br>FCC, BSMI         | RED SWITCH<br>Linear (45 cN)              | 105+4             |
| 19 | CHERRY MX Board<br>3.0 | G80-3850LYDGB-2 | 4025112087189 | UK                                 | black             | black         | cURus, c-tick,<br>VCCI, CE,<br>FCC, BSMI         | RED SWITCH<br>Linear (45 cN)              | 105+4             |
| 20 | CHERRY MX Board<br>3.0 | G80-3850LYKR-2  | 4025112087707 | English (US) /<br>Korean           | black             | black         | cURus, c-tick,<br>VCCI, CE,<br>FCC, BSMI,<br>KCC | RED SWITCH<br>Linear (45 cN)              | 104+4             |

## <sup>1</sup>Operation characteristics:


### • BLACK SWITCH Linear (60 cN)



### • BLUE SWITCH Click pressure point (60cN)



### • RED SWITCH Linear (45 cN)



### • BROWN SWITCH Pressure point (55cN)

