

CHERRY G84-5400 XS

Small, flat and extremely robust



Models may vary from the image shown

The 'XS Trackball Keyboard' (G84-5400) combines comfortable mouse control with compact dimensions. Via the optical trackball with two mouse keys, the cursor can be controlled easily and precisely.

FUNCTION AND PERFORMANCE

- High-quality trackball with two mouse buttons for convenient control of the cursor
- High degree of reliability and precise keystroke feel thanks to individual keys with Gold Crosspoint contacts (CHERRY ML technology)
- Ideal for continuous usage due to the long operating life in excess of 20 million key confirmations per individual key
- Compact dimensions and very low overall build height, ideal for restricted spaces and for 19" applications
- Standardised measurements and installation dimensions of the complete XS product family - the keyboard can be adapted to every application
- Lightweight - for applications where every gram counts
- Plug & Play - can be used with the operating system's standard drivers
- Supports Code Set 3 and UnifiedPOS
- Fastening option for permanent installation

- Detachable pluggable feet for individually adjusting the tilt of the keyboard
- Freely programmable keys for even more time-saving operation

TECHNICAL DATA

Weight main product:	540 g
Weight of product without packaging:	540 g
Dimensions product without packaging:	374 mm x 139 mm x 20 mm
Weight of product incl. packaging:	670 g
Dimensions product incl. packaging:	393 mm x 196 mm x 33 mm
Content of master carton (pieces):	21
Cable-length:	250 cm
Storage temperature:	-20 °C - 60 °C
Product approvals:	<ul style="list-style-type: none">• BSMI• RCM• CE• cURus• FCC• VCCI• VDE• UKCA
System Requirements-Hardware:	USB-A
Operating system:	<ul style="list-style-type: none">• Windows 7• Windows 8• Windows 10• Windows 11
Scope of delivery:	<ul style="list-style-type: none">• Manual• Keyboard• Mounting feet
Reliability:	Trackball-Tasten: > 3 Mio. Betätigungen MTBF > 4,9 Mio. Stunden
Software support:	CHERRY KEYS
Service life per key (in million strokes):	20 mio. actuations
Switching characteristics:	tactile

Max. current consumption (mA) of keyboard:	45 mA
Keyboard format:	Compact (75%)
N-Key Rollover:	no
Anti-ghosting:	no
Key encryption:	no
Actuating force (cN):	50 cN
Key labeling:	Laser etching
Palm rest:	Palm rest not available
USB hub:	no
Special key functions:	FN
Illumination:	no

Adjustable feet:	sold separately
Status LEDs:	in housing
Key technology:	Mechanical
Switches:	CHERRY ML
Keycap material:	ABS
Model number:	ML5400
Protection class:	Standard
Warranty:	1 additional year voluntary limited manufacturers warranty

Errors, technical changes and delivery options reserved. Technical information refers only to the specification of the products. Properties are not guaranteed.

EAN & Part number	Protection class	Switches	Color	Illumination	Layout
4025112072611 G84-5400LUMCH-2	Standard	CHERRY ML	black	no	CH (Switzerland)
4025112071324 G84-5400LUMDE-2	Standard	CHERRY ML	black	no	DE (Germany)
4025112072598 G84-5400LUMES-2	Standard	CHERRY ML	black	no	ES (Spain)
4025112071348 G84-5400LUMEU-2	Standard	CHERRY ML	black	no	EU (USA+ €-Symbol)
4025112072581 G84-5400LUMFR-2	Standard	CHERRY ML	black	no	FR (France)
4025112072604 G84-5400LUMGB-2	Standard	CHERRY ML	black	no	GB (United Kingdom)
4025112072567 G84-5400LUMIT-2	Standard	CHERRY ML	black	no	IT (Italy)
4025112084454 G84-5400LUMPN-2	Standard	CHERRY ML	black	no	PN (PanNordic)
4025112076404 G84-5400LUMPO-2	Standard	CHERRY ML	black	no	PO (Portugal)
4025112072635 G84-5400LUMBE-0	Standard	CHERRY ML	light-grey	no	BE (Belgium)
4025112072628 G84-5400LUMCH-0	Standard	CHERRY ML	light-grey	no	CH (Switzerland)
4025112071317 G84-5400LUMDE-0	Standard	CHERRY ML	light-grey	no	DE (Germany)
4025112073090 G84-5400LUMES-0	Standard	CHERRY ML	light-grey	no	ES (Spain)
4025112071331 G84-5400LUMEU-0	Standard	CHERRY ML	light-grey	no	EU (USA+ €-Symbol)
4025112073748 G84-5400LUMIT-0	Standard	CHERRY ML	light-grey	no	IT (Italy)