

DC 2000

Corded Business Desktop in CHERRY quality



Models may vary from the image shown

The CHERRY DC 2000 brings together what belongs together. It connects people perfectly with their computers. Mouse and keyboard complement one another to create an efficient tool for the desk. For use, day after day, in the office and at home. It's your personal assistant making everyday work easier. Reliable, accurate, stylish. Great to handle, very hard-wearing and precise – even at those really stressful times.

FUNCTION AND PERFORMANCE

- Optimised for professional use in the office (GS certification)
- Wired mouse with 3 keys and scroll wheel
- Symmetrical design in standard size – suitable for left- and right-handed users
- Resolution 1,200 dpi
- Flat, corded keyboard with abrasion-resistant labelling
- 4 hotkeys (calculator, e-mail, browser/sleep mode)
- 3 blue status LEDs in the keyboard

- Up to 10 million keystrokes
- Plug & Play via 1 USB connection for keyboard and for mouse

TECHNICAL DATA

| | |
|--|---|
| Weight main product: | 530 g |
| Weight of product without packaging: | 620 g |
| Dimensions product without packaging: | 458 mm x 170 mm x 20 mm |
| Weight of product incl. packaging: | 896 g |
| Dimensions product incl. packaging: | 546 mm x 198 mm x 20 mm |
| Content of master carton (pieces): | 6 |
| Weight of master carton incl. content: | 6,160 g |
| Dimensions master carton: | 560 mm x 300 mm x 220 mm |
| Cable-length: | 180 cm |
| Storage temperature: | -20 °C - 65 °C |
| Working temperature: | 0 °C - 50 °C |
| Product approvals: | <ul style="list-style-type: none">• Blauer Engel• cULus• FCC• CE• GS• RCM• UKCA• Windows Hardware Compatibility• China RoHS• ICES-003 (Canada) |
| System Requirements-Hardware: | USB-A |
| Operating system: | <ul style="list-style-type: none">• Windows 7• Windows 8• Windows 10• Windows 11 |
| Scope of delivery: | <ul style="list-style-type: none">• Manual• Mouse• Keyboard |
| Reliability: | MTBF > 45.000 Stunden |

| | |
|--|---|
| Software support: | CHERRY KEYS |
| Service life per key (in million strokes): | 10 mio. actuations |
| Switching characteristics: | standard |
| Max. current consumption (mA) of keyboard: | 50 mA |
| Keyboard format: | Full-size (100%) |
| Integrated metal plate: | yes |
| Volume (dB) of keyboard: | 40,7 db |
| N-Key Rollover: | no |
| Anti-ghosting: | no |
| Key encryption: | no |
| Internal memory: | no |
| Key labeling: | Laser etching |
| Palm rest: | Palm rest not available |
| USB hub: | no |
| Special key functions: | <ul style="list-style-type: none"> • Browser • e-mail program • PC Standby • Calculator |
| Illumination: | no |
| Adjustable feet: | integrated |
| Status LEDs: | in housing |
| Key technology: | Rubberdome |
| Keycap material: | ABS |

| | |
|---------------|--|
| Model number: | JG-08 |
| Warranty: | 1 additional year voluntary limited manufacturers warranty |

TECHNICAL DATA (MOUSE)

| | |
|--------------------------------------|------------------------|
| Dimensions mouse without packaging: | 109 mm x 62 mm x 37 mm |
| Weight: | 118 g |
| Number of keys: | 3 |
| Thumb buttons: | no |
| Sensor: | PAW3515DB-VJZA |
| Max. resolution (dpi): | 1.600 dpi |
| dpi switch: | no |
| dpi levels: | 1 |
| Illumination: | no |
| Housing material: | ABS |
| Max. Current consumption (mA) Mouse: | 50 mA |
| Switch type: | standard |
| Mouse cable length (cm): | 180 mm |

Errors, technical changes and delivery options reserved. Technical information refers only to the specification of the products. Properties are not guaranteed.

| EAN & Part number | Color | Color | Illumination | Layout |
|------------------------------|-------|-------|--------------|---------------------------------------|
| 4025112083280 JD-0800BE-2 | black | black | no | BE (Belgium) |
| 4025112097119 JD-0800BU-2 | black | black | no | BU (Bulgaria) |
| 4025112094163 JD-0800CN-2 | black | black | no | CN (China) |
| 4025112085772 JD-0800CS-2 | black | black | no | CS (Czech Republic / Slovak Republic) |
| 4025112083297 JD-0800DE-2 | black | black | no | DE (Germany) |
| 4025112083303 JD-0800ES-2 | black | black | no | ES (Spain) |
| 4025112084744 JD-0800EU-2 | black | black | no | EU (USA+ €-Symbol) |
| 4025112083310 JD-0800FR-2 | black | black | no | FR (France) |
| 4025112083327 JD-0800GB-2 | black | black | no | GB (United Kingdom) |
| 4025112086144 JD-0800HU-2 | black | black | no | HU (Hungary) |
| 4025112085475 JD-0800IT-2 | black | black | no | IT (Italy) |
| 4025112085048 JD-0800PN-2 | black | black | no | PN (PanNordic) |
| 4025112092091 JD-0800SL-2 | black | black | no | SL (Slovenia) |
| 4025112086557 JD-0800TQ-2 | black | black | no | TQ (Turkey) |
| 4025112093692 JD-0800TW-2 | black | black | no | TW (Taiwan) |